



# Panasonic®

## Operating Instructions Air Conditioner



CS-V7DKE  
CS-V9DKE  
CS-V12DKE

CU-V7DKE  
CU-V9DKE  
CU-V12DKE



ENGLISH  
ESPAÑOL

Before operating the unit, read these operating instructions thoroughly and keep them for future reference.  
Antes de utilizar la unidad, sírvase leer atentamente estas instrucciones de funcionamiento y conservarlas como futuro elemento de consulta.

2 ~ 7

ITALIANO

Prima di utilizzare l'unità si prega di leggere attentamente le istruzioni e di conservare questo opuscolo per potervi fare riferimento in futuro.

8 ~ 13

NEDERLANDS  
PORTUGUÊS  
ΕΛΛΗΝΙΚΑ  
БЪЛГАРСКИ

Lees voor u het apparaat gebruikt deze gebruiksinstructies grondig na en bewaar ze voor toekomstig gebruik.

Antes de ligar a unidade, leia cuidadosamente este manual de utilização e guarde-o para futura referência.

Προτού θέσετε τη μονάδα σε λειτουργία, διαβάστε προσεκτικά αυτές τις οδηγίες χρήσης και φυλάξτε τις για μελλοντική αναφορά.

Преди да задействате климатика, прочетете внимателно инструкциите за употреба и ги запазете за бъдещи справки.

14 ~ 19

20 ~ 25

26 ~ 31

32 ~ 37

38 ~ 43



Manufactured by:

**Panasonic HA Air-Conditioning (M) Sdn. Bhd.**

Lot 2, Persiaran Tengku Ampuan, Section 21, Shah Alam Industrial Site, 40300 Shah Alam, Selangor, Malaysia.

# SAFETY PRECAUTIONS

## ■ Definition

To prevent personal injury, injury to others and property damage, the following instructions must be followed.

Incorrect operation due to failure to follow instructions will cause harm or damage, the seriousness of which is classified as below:



### Warning

This sign warns of death or serious injury.



### Caution

This sign warns of injury or damage to property.

The instructions to be followed are classified by the following symbols:



This symbol denotes an action that is PROHIBITED.



These symbols denote actions that are COMPULSORY.

## Installation Precautions



### Warning

Do not install, remove and reinstall the unit by yourself.

- Improper installation will cause leakage, electric shock or fire. Please consult an authorized dealer or specialist for the installation work.
- This equipment must be earthed and installed with ELCB. It may cause electrical shock or fire in case of malfunction



### Caution



- This air conditioner must be earthed. Improper grounding will cause electric shock.
- Ensure that the drainage piping is connected properly. Otherwise, water will leak.



- Do not install the unit in a potentially explosive atmosphere.

## Operation Precautions



### Warning



- Do not share power outlet.
- Do not modify power cord.
- Do not use an extension cord.
- Do not operate with wet hands.
- Do not operate or stop the unit by inserting or pulling out the power plug.
- Do not insert finger or other objects into the indoor or outdoor unit.
- Do not attempt to repair the unit by yourself.
- Do not use rechargeable (Ni-Cd) batteries.
- Keep the remote control away from infants and small children to prevent them from accidentally swallowing the batteries.



- Insert the power plug properly.
- Use specified supply cord.
- If the supply cord is damaged or needed to be replaced, it must be replaced by the manufacturer or its service agent or a similarly qualified person in order to avoid a hazard.
- Remove the batteries if the unit is not going to be use for a long period of time.
- New batteries of the same type must be inserted following the polarity stated to prevent malfunction of the remote control.



- In case of emergency or abnormal condition (burnt, smell, etc) occurs, turn off the power supply and unplug.



- Do not pull the cord to disconnect the plug.
- Do not wash the unit with water, benzene, thinner or scouring powder.
- Do not use for other purposes such as preservation of food.
- Do not use any combustible equipment at airflow direction.
- Do not sit or place anything on the indoor or outdoor unit.
- Do not expose directly to cold air for a long period.



- Ventilate the room regularly.
- Pay attention as to whether the installation rack is damaged after long period of usage.



- Switch off the power supply and unplug before cleaning or servicing.
- Turn off the power supply and unplug if the unit is not used for a long period of time.



## Safety Regulation

The appliance is not intended for use by young children or infirm person without supervision. Young children should be supervised to ensure that they do not play with the appliance.

Replacement or installation of power plugs shall be performed by authorized/qualified personnel only. The wires in this mains lead are coloured in accordance with the following code:

| Terminals | wires   | colours (GB Standard) |
|-----------|---------|-----------------------|
| L         | live    | brown                 |
| N         | neutral | blue                  |
| E         | earth   | green-yellow          |

Different countries may have different colour coding for the wires.

## Operation Condition (°C)


Use this air conditioner under the following temperature range.

| DBT: Dry Bulb Temperature<br>WBT: Wet Bulb Temperature | Indoor |     | Outdoor |     |
|--------------------------------------------------------|--------|-----|---------|-----|
|                                                        | DBT    | WBT | DBT     | WBT |
| Maximum Temperature                                    | 32     | 23  | 43      | 26  |
| Minimum Temperature                                    | 16     | 11  | 16      | 11  |


Note: The illustrations in this manual are for explanation purposes only and may differ from the actual unit. It is subjected to change without notice for future improvement.

# PRODUCT OVERVIEW


## Indoor Unit



## Outdoor Unit




## Remote Control



## About

### Remote Control Preparation

1. Pull out
2. Insert batteries (AAA or R03)
3. Press CLOCK button



4. Set current time
  5. Press again to confirm
- Timer operation will be based on current time set.
  - The batteries can be used for approximately 1 year.
  - The batteries must be recycled or disposed of properly.

### Remote Control Signal

- Make sure it is not obstructed.
- Maximum distances: 10m.
- Certain fluorescent lights may interfere with signal transmission. Consult your dealer.

### Auto OFF/ON Button

- To operate the unit if the remote control is misplaced or malfunctioning.

| Action                   | Operation mode      |
|--------------------------|---------------------|
| Press once               | Automatic Operation |
| Press until "beep" sound | Cooling Operation   |

- To OFF, press again the Auto OFF/ON button.
- To switch the remote control signal receiving sound off or on.
  1. Press until "beep" sound and release.
  2. Press again until "beep-beep" sound and release.
  3. Press to switch the sound off or on.

(Long "beep" - OFF; short "beep" - ON)

## Troubleshooting

- Operation delayed for few minutes after restart.
  - This is a normal self protection control.
- Sound like water flowing during operation.
  - Caused by refrigerant flow inside.
- Mist emerges from indoor unit.
  - Condensation effect due to cooling process.
- Noisy during operations.
  - Installation work could be slanted or front panel didn't close properly.
- Remote control/display does not work.
  - Check whether batteries are correctly inserted or need replacement.
- The unit cannot operate.
  - Check either circuit breaker is tripped, power plug is inserted correctly or timer is used correctly.
- Outdoor unit emits water/steam.
  - Condensation or evaporation happens at piping surface.

## ■ Operation Details

### AUTO - Automatic Operation

- The unit will automatically select the operation mode according to the room temperature.
- Once the operation mode is selected, the unit will operate at the standard setting temperature as shown:

| Room temperature | Operation mode | Standard setting temperature |
|------------------|----------------|------------------------------|
| 23°C & above     | Cool           | 25°C                         |
| Below 23°C       | Dry            | 22°C                         |

- You may press or button to change the standard setting temperature to "HI" or "LO" as shown:

| Operation mode | HI   | LO   |
|----------------|------|------|
| Cool           | 27°C | 23°C |
| Dry            | 24°C | 20°C |

### COOL - Cooling Operation


- Enables you to enjoy the cooling effect at your preferred setting temperature.
- The range of temperature can be selected from 16°C ~ 30°C.

### DRY - Soft Dry Operation

- Enables you to set the desired temperature at low fan speed which provides you with the dehumidifying surroundings.
- The range of temperature can be selected from 16°C ~ 30°C.

# HOW TO OPERATE

## Auto, Cool, Dry



- Supersonic air purifying device (super alleru-buster) operates automatically while the air conditioner is switched on.
- Powerful, Quiet and Ion operations could be activated in all operation modes.
- Press button again to stop the operation.



### Tip

- To save electricity, close the curtains when using air conditioner to prevent sunlight and heat from coming in.



### Troubleshooting

- The room has a peculiar odour.
  - This may be a damp smell emitted by the wall, carpet, furniture or clothing in the room.
- Air conditioner does not cool efficiently.
  - Ensure the temperature has been set correctly.
  - Ensure windows and doors have been closed properly.
  - Ensure filters are cleaned or replaced when necessary.
  - Ensure inlet and outlet vents of the units have not been obstructed.

# HOW TO OPERATE

## Powerful, Quiet, Ion, Fan Speed, Air Swing

### POWERFUL

Enables powerful operation.

### ION

Enables ion operation.

### FAN SPEED


Select fan speed.

### AIR SWING

Adjust the vertical airflow direction louver.

### QUIET

Enables quiet operation.



## Operations Details

### POWERFUL

- To achieve setting temperature quickly. It will operate for 15 minutes and return to the previous setting.

### QUIET

- To provide a quiet environment.

### ION

- To provide fresh air effect by producing negative ions.


### FAN SPEED

- To provide you with the various fan speed selections.
- There are 3 levels of fan speed in addition to automatic fan speed.
- Automatic fan speed:

The speed of the indoor fan is automatically adjusted according to the operation.

### AIR SWING

- To ventilate air in the room.
- There are 5 selections in addition to automatic vertical air flow direction.
- If automatic vertical airflow direction has been set, the louver swings up and down automatically.
- Please do not adjust the vertical airflow direction louver manually.
- Horizontal airflow direction louver could be adjusted manually.



- Ion operation could be activated independently.
- Powerful and Quiet operations could not be activated at the same time.
- Powerful, Quiet and Ion operations could be cancelled by pressing the respective button again.

## Hints

- If you wish to have the cool air blowing directly on you, set the airflow direction downward but not for an excessive length of time, as it may harm your health.
- Approximately 10% of electricity can be saved if you set the temperature 1°C higher than the desired temperature during cooling operation.

## Troubleshooting


- ION indicator on the indoor unit is blinking.
  - Press ION button twice. If the indicator is still blinking, please consult the dealer.
- Indoor fan stops occasionally during Automatic Fan Speed setting.
  - This is an advanced feature that helps to remove smell from the surrounding area during operation.

# HOW TO OPERATE

## Timer

### TIMER

- Use the ON timer to turn on the air conditioner at the desired time. This will give you a cooling environment, e.g. when you return from work or wake up.
- When the ON timer is set, operation will start 15 minutes before the actual set time.
- Use the OFF timer to stop the air conditioner operation at the desired time. This can save electricity while you are going out or sleeping.
- The set timer will repeat daily once it is set.
- If there is a power failure, you can press SET button to restore the previous setting once the power is resumed.
- If the timer is cancelled, you can restore the previous setting by pressing SET button.



- Ensure the clock on the remote control has been set correctly.
- You could use the ON and OFF timers at the same time.
- To cancel either the ON or OFF timer, press  or , then press .



### Hint

- Press CLOCK more than 10 seconds to change the time format from 24 hours to AM/PM format.
- For your convenience, you could set the air conditioner to operate automatically by using both ON and OFF timer.



### Troubleshooting

- TIMER indicator always on.
  - Timer is activated and the setting will repeat itself daily.
- POWER indicator is blinking 15 minutes before ON timer is activated.
  - The unit is determining the operation mode by sensing the room temperature. This happens when it has been set to AUTO operation mode.

# CARE & CLEANING




**Switch off the power supply before cleaning**

## FRONT PANEL

Raise and Pull to remove.  
Wash and dry.


## AIR FILTER

Vacuum, wash and dry.



## SUPERSONIC AIR PURIFYING DEVICE

Vacuum the super alleru-buster filter.




Vacuum, wash and dry the frame.

## INDOOR UNIT

Wipe gently.

## IONIZER

Clean with cotton bud.



## Washing Instructions

- Do not use benzene, thinner or scouring powder.
- Use soaps or neutral household detergent ( $\approx$  pH7) only.
- Do not use water with temperature higher than 40°C.

## INDOOR UNIT

- Wipe the unit gently with a soft, dry cloth.

## AIR FILTER

- It is recommended to clean the air filters once every 2 weeks.
- Purchase the replacement filter if it is damaged.

Part no.: CWD001144

## SUPER ALLERU-BUSTER

- It is recommended to clean the filter every 6 months.
- Replace the filter every 3 years or purchase the replacement filter if it is damaged.

Part no.: CZ-SA13P

## IONIZER

- It is recommended to clean the ionizer every 6 months.

## Preparation for extended Non-operation

- Operate the unit for 2~3 hours using ion operation to dry the internal parts.
- Turn off the power supply and unplug.
- Remove the remote control batteries.

## Pre-season Inspection

- This inspection is recommended before operating the air conditioner at every season.
- Check if the remote control batteries needed to be replaced.
- Ensure there is no obstruction at all air intake and outlet vents.
- After the start of operation for 15 minutes, it is normal if the temperature differences between air intake and outlet vents at indoor unit is:-

| Operation | Temperature              |
|-----------|--------------------------|
| Cooling   | $\geq 8^{\circ}\text{C}$ |



## Hints

- Clean the filter regularly as dirty filters will cause unpurified air, low cooling or heating capacity, unpleasant smells and higher energy consumption.
- The unit will become dirty and the performance of the unit will decrease after used for several seasons. Please consult an authorized dealer to perform seasonal inspections in addition to regular cleaning.
- This air conditioner is equipped with a built-in surge protective device. However, in order to further protect your air conditioner from being damaged by abnormally strong lightning activity, you may switch off the power supply.

## NON SERVICEABLE CRITERIAS

TURN OFF POWER SUPPLY and CALL Authorized Distributor under the following conditions:

- Abnormal noise during operation
- Water/foreign particles have entered the Remote Control
- Water leak from Indoor unit
- Circuit breaker switches off frequently
- Power plug/cord becomes unnaturally warm
- Switches or buttons are not functioning properly